

6

Inpatient Rehabilitation Facility Quality Reporting Program

PRACTICE CODING SCENARIOS DAY 2



August 15 and 16, 2019
Four Seasons Hotel
Baltimore, MD 21202

Section M: Skin Conditions (Pressure Ulcer/Injury)

Practice Coding Scenario 1

- A patient is admitted to the IRF with a Stage 2 pressure ulcer on the left hip. The patient is transported to an acute care hospital and returns to the IRF within 2 days.
- Upon return to the IRF setting, the left hip pressure ulcer is a full thickness ulcer assessed to be a Stage 3. The patient is discharged to home with this Stage 3 pressure ulcer.

Item	Admission Assessment	Discharge Assessment
M0300A1. Number of Stage 1 pressure injuries.		
M0300B1. Number of Stage 2 pressure ulcers.		
M0300B2. Number of these Stage 2 pressure ulcers that were present upon admission.		
M0300C1. Number of Stage 3 pressure ulcers.		
M0300C2. Number of these Stage 3 pressure ulcers that were present upon admission.		
M0300D1. Number of Stage 4 pressure ulcers.		
M0300D2. Number of these Stage 4 pressure ulcers that were present upon admission.		
M0300E1. Number of unstageable pressure ulcers/injuries due to non-removable dressing/device.		
M0300E2. Number of these unstageable pressure ulcers/injuries due to non-removable dressing/device that were present upon admission.		
M0300F1. Number of unstageable pressure ulcers due to coverage of wound bed by slough and/or eschar.		
M0300F2. Number of these unstageable pressure ulcers due to slough/eschar that were present upon admission.		
M0300G1. Number of unstageable pressure injuries with deep tissue injury.		
M0300G2. Number of these unstageable pressure injuries with deep tissue injury that were present upon admission.		

Section M: Skin Conditions (Pressure Ulcer/Injury) continued

Practice Coding Scenario 2

- A patient is admitted to the IRF with a Stage 4 pressure ulcer on her left hip.
- When the pressure ulcer is reassessed at discharge, it is entirely covered with eschar and the wound bed cannot be assessed. The patient is discharged with an unstageable pressure ulcer due to slough/eschar.

Item	Admission Assessment	Discharge Assessment
M0300A1. Number of Stage 1 pressure injuries.		
M0300B1. Number of Stage 2 pressure ulcers.		
M0300B2. Number of these Stage 2 pressure ulcers that were present upon admission.		
M0300C1. Number of Stage 3 pressure ulcers.		
M0300C2. Number of these Stage 3 pressure ulcers that were present upon admission.		
M0300D1. Number of Stage 4 pressure ulcers.		
M0300D2. Number of these Stage 4 pressure ulcers that were present upon admission.		
M0300E1. Number of unstageable pressure ulcers/injuries due to non-removable dressing/device.		
M0300E2. Number of these unstageable pressure ulcers/injuries due to non-removable dressing/device that were present upon admission.		
M0300F1. Number of unstageable pressure ulcers due to coverage of wound bed by slough and/or eschar.		
M0300F2. Number of these unstageable pressure ulcers due to slough/eschar that were present upon admission.		
M0300G1. Number of unstageable pressure injuries with deep tissue injury.		
M0300G2. Number of these unstageable pressure injuries with deep tissue injury that were present upon admission.		

Section M: Skin Conditions (Pressure Ulcer/Injury) continued

Practice Coding Scenario 3

- A patient is admitted to the IRF with documentation in the medical record of a sacral pressure ulcer/injury. This ulcer/injury is covered with a non-removable dressing; therefore, this pressure ulcer/injury is unstageable.
- On Day 4 of the IRF stay, the dressing is removed by the physician and assessment reveals a Stage 3 pressure ulcer.
- On Day 9 of the IRF stay, the pressure ulcer is covered with eschar and is assessed as unstageable. The eschar-covered ulcer is unchanged at the time of discharge.

Item	Admission Assessment	Discharge Assessment
M0300A1. Number of Stage 1 pressure injuries.		
M0300B1. Number of Stage 2 pressure ulcers.		
M0300B2. Number of these Stage 2 pressure ulcers that were present upon admission.		
M0300C1. Number of Stage 3 pressure ulcers.		
M0300C2. Number of these Stage 3 pressure ulcers that were present upon admission.		
M0300D1. Number of Stage 4 pressure ulcers.		
M0300D2. Number of these Stage 4 pressure ulcers that were present upon admission.		
M0300E1. Number of unstageable pressure ulcers/injuries due to non-removable dressing/device.		
M0300E2. Number of these unstageable pressure ulcers/injuries due to non-removable dressing/device that were present upon admission.		
M0300F1. Number of unstageable pressure ulcers due to coverage of wound bed by slough and/or eschar.		
M0300F2. Number of these unstageable pressure ulcers due to slough/eschar that were present upon admission.		
M0300G1. Number of unstageable pressure injuries with deep tissue injury.		
M0300G2. Number of these unstageable pressure injuries with deep tissue injury that were present upon admission.		

Section M: Skin Conditions (Pressure Ulcer/Injury) continued

Practice Coding Scenario 4

- A patient is admitted to the IRF with a Stage 3 pressure ulcer on her coccyx.
- On Day 5 of her IRF stay, the ulcer is assessed as a Stage 4 pressure ulcer. She is seen at the wound clinic and returns to the IRF with a dressing and orders that the dressing is to remain intact until the next clinic visit.
- The patient is discharged to a skilled nursing facility prior to the follow-up wound clinic visit. At the time of discharge, this ulcer is covered with a non-removable dressing.

Item	Admission Assessment	Discharge Assessment
M0300A1. Number of Stage 1 pressure injuries.		
M0300B1. Number of Stage 2 pressure ulcers.		
M0300B2. Number of these Stage 2 pressure ulcers that were present upon admission.		
M0300C1. Number of Stage 3 pressure ulcers.		
M0300C2. Number of these Stage 3 pressure ulcers that were present upon admission.		
M0300D1. Number of Stage 4 pressure ulcers.		
M0300D2. Number of these Stage 4 pressure ulcers that were present upon admission.		
M0300E1. Number of unstageable pressure ulcers/injuries due to non-removable dressing/device.		
M0300E2. Number of these unstageable pressure ulcers/injuries due to non-removable dressing/device that were present upon admission.		
M0300F1. Number of unstageable pressure ulcers due to coverage of wound bed by slough and/or eschar.		
M0300F2. Number of these unstageable pressure ulcers due to slough/eschar that were present upon admission.		
M0300G1. Number of unstageable pressure injuries with deep tissue injury.		
M0300G2. Number of these unstageable pressure injuries with deep tissue injury that were present upon admission.		

Section M: Skin Conditions (Pressure Ulcer/Injury) continued

Practice Coding Scenario 5

- A patient is admitted to the IRF with multiple fractures following a motor vehicle accident. Skin assessment upon admission reveals no pressure ulcers or injuries.
- On Day 7 of the IRF stay, a Stage 2 pressure ulcer is identified on the coccyx. Wound treatment is initiated, and the pressure ulcer successfully heals a week prior to discharge.
- At discharge, the patient's skin assessment reveals a healed Stage 2 pressure ulcer on the coccyx.

Item	Admission Assessment	Discharge Assessment
M0300A1. Number of Stage 1 pressure injuries.		
M0300B1. Number of Stage 2 pressure ulcers.		
M0300B2. Number of these Stage 2 pressure ulcers that were present upon admission.		
M0300C1. Number of Stage 3 pressure ulcers.		
M0300C2. Number of these Stage 3 pressure ulcers that were present upon admission.		
M0300D1. Number of Stage 4 pressure ulcers.		
M0300D2. Number of these Stage 4 pressure ulcers that were present upon admission.		
M0300E1. Number of unstageable pressure ulcers/injuries due to non-removable dressing/device.		
M0300E2. Number of these unstageable pressure ulcers/injuries due to non-removable dressing/device that were present upon admission.		
M0300F1. Number of unstageable pressure ulcers due to coverage of wound bed by slough and/or eschar.		
M0300F2. Number of these unstageable pressure ulcers due to slough/eschar that were present upon admission.		
M0300G1. Number of unstageable pressure injuries with deep tissue injury.		
M0300G2. Number of these unstageable pressure injuries with deep tissue injury that were present upon admission.		

Section M: Skin Conditions (Pressure Ulcer/Injury) continued

Practice Coding Scenario 6

- A patient is admitted to the IRF with a right ankle foot orthosis (AFO) to compensate for weakness and foot drop.
- On the initial skin assessment, the clinician notes a Stage 2 pressure ulcer at the right calf, that conforms to the shape of the AFO. The orthotist is consulted and the AFO is adjusted.
- At discharge, the ulcer has decreased in dimensions and remains an open Stage 2 pressure ulcer. No other pressure ulcers/injuries are noted.

Item	Admission Assessment	Discharge Assessment
M0300A1. Number of Stage 1 pressure injuries.		
M0300B1. Number of Stage 2 pressure ulcers.		
M0300B2. Number of these Stage 2 pressure ulcers that were present upon admission.		
M0300C1. Number of Stage 3 pressure ulcers.		
M0300C2. Number of these Stage 3 pressure ulcers that were present upon admission.		
M0300D1. Number of Stage 4 pressure ulcers.		
M0300D2. Number of these Stage 4 pressure ulcers that were present upon admission.		
M0300E1. Number of unstageable pressure ulcers/injuries due to non-removable dressing/device.		
M0300E2. Number of these unstageable pressure ulcers/injuries due to non-removable dressing/device that were present upon admission.		
M0300F1. Number of unstageable pressure ulcers due to coverage of wound bed by slough and/or eschar.		
M0300F2. Number of these unstageable pressure ulcers due to slough/eschar that were present upon admission.		
M0300G1. Number of unstageable pressure injuries with deep tissue injury.		
M0300G2. Number of these unstageable pressure injuries with deep tissue injury that were present upon admission.		

Section M: Skin Conditions (Pressure Ulcer/Injury) continued

Practice Coding Scenario 7

- Upon admission to the IRF, the patient's skin assessment reveals two Stage 4 pressure ulcers. One is located on the coccyx and the other on the right hip.
- At discharge, the patient's skin assessment reveals a **healed** Stage 4 pressure ulcer on the right hip. The pressure ulcer on the coccyx remains a Stage 4, with granulation tissue visible in 50 percent of the wound bed and no slough or eschar noted.

Item	Admission Assessment	Discharge Assessment
M0300A1. Number of Stage 1 pressure injuries.		
M0300B1. Number of Stage 2 pressure ulcers.		
M0300B2. Number of these Stage 2 pressure ulcers that were present upon admission.		
M0300C1. Number of Stage 3 pressure ulcers.		
M0300C2. Number of these Stage 3 pressure ulcers that were present upon admission.		
M0300D1. Number of Stage 4 pressure ulcers.		
M0300D2. Number of these Stage 4 pressure ulcers that were present upon admission.		
M0300E1. Number of unstageable pressure ulcers/injuries due to non-removable dressing/device.		
M0300E2. Number of these unstageable pressure ulcers/injuries due to non-removable dressing/device that were present upon admission.		
M0300F1. Number of unstageable pressure ulcers due to coverage of wound bed by slough and/or eschar.		
M0300F2. Number of these unstageable pressure ulcers due to slough/eschar that were present upon admission.		
M0300G1. Number of unstageable pressure injuries with deep tissue injury.		
M0300G2. Number of these unstageable pressure injuries with deep tissue injury that were present upon admission.		

Section M: Skin Conditions (Pressure Ulcer/Injury) continued

Practice Coding Scenario 8

- On admission to the IRF, the patient's skin assessment reveals three small, distinct Stage 2 pressure ulcers in the sacral area.
- Upon discharge assessment, two of the sacral pressure ulcers have merged and remain a Stage 2. The third sacral pressure ulcer has increased to a Stage 3.

Item	Admission Assessment	Discharge Assessment
M0300A1. Number of Stage 1 pressure injuries.		
M0300B1. Number of Stage 2 pressure ulcers.		
M0300B2. Number of these Stage 2 pressure ulcers that were present upon admission.		
M0300C1. Number of Stage 3 pressure ulcers.		
M0300C2. Number of these Stage 3 pressure ulcers that were present upon admission.		
M0300D1. Number of Stage 4 pressure ulcers.		
M0300D2. Number of these Stage 4 pressure ulcers that were present upon admission.		
M0300E1. Number of unstageable pressure ulcers/injuries due to non-removable dressing/device.		
M0300E2. Number of these unstageable pressure ulcers/injuries due to non-removable dressing/device that were present upon admission.		
M0300F1. Number of unstageable pressure ulcers due to coverage of wound bed by slough and/or eschar.		
M0300F2. Number of these unstageable pressure ulcers due to slough/eschar that were present upon admission.		
M0300G1. Number of unstageable pressure injuries with deep tissue injury.		
M0300G2. Number of these unstageable pressure injuries with deep tissue injury that were present upon admission.		

Section C: Cognitive Patterns

C0200 Practice Coding Scenario 1

Interviewer: "The words are sock, blue, and bed. Now please tell me the three words."

Patient: "Bed, sock, and blue."

Interviewer: Repeats the three words with category cues by saying, "That's right, the words are sock, something to wear; blue, a color; and bed, a piece of furniture."

C0200 Practice Coding Scenario 2

Interviewer: "The words are sock, blue, and bed. Now please tell me the three words."

Patient: "Sock, bed, black."

Interviewer: Repeats the three words plus the category cues, "Let me say the three words again. They are sock, something to wear; blue, a color; and bed, a piece of furniture. Now tell me the three words."

Patient: "Oh yes, that's right, sock, blue, bed."

C0200 Practice Coding Scenario 3

Interviewer: "The words are sock, blue, and bed. Now please tell me the three words."

Patient: "Blue socks belong in the dresser."

Interviewer: Repeats the three words plus the category cues.

C0300A Practice Coding Scenario 4

Date of interview is August 1, 2019.

Interviewer: "Please tell me what year it is right now?"

Patient: "'19."

Interviewer: "Can you tell me the full year?"

Patient: "'19."

Interviewer: "Can you tell me the full year, for example, nineteen-eighty-two."

Patient: "2019."

C0300B Practice Coding Scenario 5

Date of interview is June 2, 2019.

The patient states that it is May.

Section C: Cognitive Patterns continued

C0300C Practice Coding Scenario 6

Date of interview is Thursday, August 15, 2019.

The patient states that it is "Tuesday."

C0400 Practice Coding Scenario 7

The patient is asked to recall the three words that were initially presented.

Patient: "Socks, shoes, and bed."

Interviewer: "One word was a color."

Patient: "Oh, the shoes were blue."

C0400 Practice Coding Scenario 8

The patient is asked to recall the three words.

Patient: "I don't remember."

Interviewer: "One word was something to wear."

Patient: "Clothes."

Interviewer: "OK, one word was a color."

Patient: "Blue."

Interviewer: "OK, the last word was a piece of furniture."

Patient: "Couch."

C0500 Practice Coding Scenario 9

The patient's scores on items C0200-C0400C are listed below. How would you code C0500, BIMS Summary Score?

C0200 (repetition) 3

C0300A (year) 2

C0300B (month). 2

C0300C (day) 1

C0400A (recall "sock") . . . 2

C0400B (recall "blue") . . . 2

C0400C (recall "bed") . . . 0